
CLiC-iT

simply smart



MADE IN FRANCE


CLiC-iT
ADVENTURE & MOUNTAIN
CATALOGUE EDITION 2026


© Cap Découverte Extrême
CLiC-iT ADVENTURE
INTERACTIVE CONTINUOUS BELAY SYSTEM


CLiC-iT RiDER
CONTINUOUS BELAY SYSTEM WITH PULLEY



ROPEROLLER
CONTINUOUS SAFETY SYSTEM


CLiC-iT EASY RELEASE
CONTINUOUS BELAY SYSTEM WITH HOOK


C-ZiP
PULLEYS


C-BODY
INTEGRAL HARNESS


C-PASS
PREVENTS ENTERING THE COURSE WITHOUT BEING ATTACHED


RODÉOSTOP®
AUTOMATIC FALL ARREST DEVICE


BABO® BOLT
TREE ATTACHMENT SOLUTION

SUMMARY

P. 4	THE COMPANY	
P. 10	CLiC-iT ADVENTURE	
P. 14	CLiC'N'ZiP	*CONTINUOUS BELAY SYSTEMS*
P. 16	CLiC-iT RiDER	
P. 19	CLiC-iT EASY	
P. 20	ROPEROLLER	
P. 21	C-ZiP	*PULLEYS*
P. 26	C-BODY	*HARNESS*
P. 28	C-PASS ZiP	*ACCESS CONTROL SYSTEMS*
P. 29	C-PASS ACCESS	
P. 31	RODÉOSTOP®	*FALL ARREST SOLUTION*
P. 33	BABO®BOLT	*TREE-ATTACHMENT SOLUTION*
P. 37	INDIVIDUAL EQUIPMENT	*ACCESSORIES*
P. 41	PARK EQUIPMENT	

⚠ *Please read the suers manuals very carefully to choose available options and use the products correctly*
Images are non contractual

HISTORY

A FRENCH INVENTION



«While on an adventure course, trying to help a child who was stuck, I found myself in a dangerous situation. Then I imagined my children completely detached from the safety cable, 25 meters up in a tree... I started spending all my evenings and weekends looking for a solution to this problem! »

CLiC-iT® is a revolutionary solution that has given rise to a complete line of products made to serve different needs in the fields of recreation, construction, and industry.

Thierry Dehondt
CEO

OUR COMMITMENT

PEACE OF MIND

We are dedicated to providing peace of mind, total freedom and maximum efficiency to those who have activities at heights.

To do this, we want to give you the best: safety, highest longevity, easy of use & customer service.

CLiC-iT proposed innovative, simple and reliable solutions to ensure continuous safety for the user throughout the adventure, a real guarantee of peace of mind for the adventure park manager.

OUR EXPERTISE

INNOVATION & QUALITY


Our team develops innovative, patented products that meet the various safety needs identified in the field. In order to meet your expectations, all our concepts are tested on site to ensure their relevance and efficiency.

CLiC-iT guarantees robust, high quality materials for a long life and increased resistance of the products. CLiC-iT is also a team that is always ready to listen to you for a better service.



CLIC-IT TEAM

CLIC-IT PRESENCE IN THE WORLD



C-PASS ZiP

System that prevents collisions on ziplines



C-ZiP

Range of pulleys for ziplines



RODÉOSTOP®

Automatic fall arrest device with energy absorber



BABO® BOLT

Tree attachment solution



CLiC-iT RiDER

Continuous belay system with pulley



The most complete range of solutions for adventure parks

C-BODY


Full-body harness



CLiC-iT

Communicating, dual-leg lanyard





XAVAGE, MEXIQUE



FLAGSTAFF EXTREME, FLORIDE



MAGIC JUNGLE, SHANGHAI



LE POISSON VOLANT, FRANCE



VIA FERRATA
IN TERRA CORSA, FRANCE

CONTINUOUS BELAY SYSTEMS


Six solutions for all your needs

INTERACTIVE

CLiC-iT ADVENTURE

The most ergonomic and robust solutions





FROM 6 YEARS OLD

CLIC'N'ZIP





FROM 9 YEARS OLD

WITH PULLEY

CLiC-iT RiDER

The smoothest solution





FROM 3 YEARS OLD

ROPEROLLER

The solution designed to last



FROM 3 YEARS OLD

WITH HOOK

CLiC-iT EASY & CLiC-iT EASY RELEASE

The simplest solution



FROM 4 YEARS OLD


CLiC-iT ADVENTURE

THE MOST SIMPLE, ROBUST AND ECONOMICAL CONTINUOUS INTERACTIVE BELAY SYSTEM

What is it ?

1 INTERCONNECTION

OPENING ONE CONNECTOR
AUTOMATICALLY LOCKS THE OTHER ONE





2 CONNECTION

Thanks to its anchorage detection, the CLiC-iT can only be connected on the safety line or on the C-ZAM rings. It prevents the user from connecting in the wrong place.

3 DISCONNECTION

Disconnection of the CLiC-iT is possible only if the trigger is pressed.





The 3 safety mechanisms of CLiC-iT

CLiC-iT lanyards feature three independent safety mechanisms that ensure maximum protection for the user at every stage of the journey. These simple yet ingenious mechanisms earned the CLiC-iT the 'Product Winner' award in the 'Innovation' category at the 2016 IAPA AWARDS.

IAPA AWARD 2016 PRODUCT WINNER

The design of CLiC-iT


The design of CLiC-iT has been awarded the 2018 label of the Observeur du Design, the most important French design award.

label 2018 observeur du design



CAPE FEARLESS EXTREME, USA

CLiC-iT Advantages



EASY TO USE
- From the age of 4
- With one hand
- One single manipulation to unlock one of the 2 carabiners

SAFE
- D safety level
(Compliance with EN17109)
- 3 independant safety mechanisms

RELIABLE, DURABLE & ECONOMICAL
- High-grade materials paired with a simple mechanism
- Bowden cables are always pulled *(not pushed)*
- Few mobile parts, exceptionally durable & easy to repair
- Easy inspection and maintenance on site
- Second generation CLiC-iT in operation since 2017
- 5 years warranty *(Europe)*

C-ZAM L+ ring




Ensures that participant only connects on the safety line

Choose the right CLiC-iT

CLiC-iT ADVENTURE

ROPE COURSE PARK



OPTIONS




Anodisation

Anti-corrosion coating

CLiC-iT MOUNTAIN

VIA FERRATA



WITH ENERGY ABSORBER

CLiC'N'ZiP

WITH INTEGRATED PULLEY



SEE FOLLOWING PAGES

REFERENCE	A	L^1	L^2
A4 *(recommanded for kids)*	110cm	63cm	73cm
A6 *(recommanded for kids)*	150cm	76cm	99cm
M8 *(Via Ferrata)*	110cm	110cm	110cm

ANCHOR DETECTION


(Choose)

Version	 Steel cable	 C-ZAM L+
1	✓	✓
2	✗	✓

CLiC'N'ZiP

CONTINUOUS INTERACTIVE BELAY SYSTEM WITH INTEGRATED PULLEY


- No more need for a third lanyard for the pulley
- Simplified briefing
- Simplified rescue for the operator on the ground
- From 9 years old



MATERIALS

- Forged aluminium housing
- Copper-alumium alloy mechanism
- High-strength PA grip handles reinforced with glassfibre
- Dyneema®/Spectra® sling


Zipline maximum length:




TOTAL WEIGHT

1.5kg

CLiC'N'ZiP CONNECTOR : A REAL PULLEY





REFERENCE	A	L^1	L^2
A4x25 ZiP	110cm	63cm	73cm
AJx25 ZiP	130cm	66cm	89cm
A6x25 ZiP	150cm	76cm	99cm

CLiC-iT RiDER

THE SIMPLEST AND SMOOTHEST PPE SOLUTION

- **Simple**: the user has nothing to manipulate
- **A single PPE for challenges and ziplines**
- **Intuitive**: reduced briefing
- **Ergonomic** and easy to use: from 3 years old
- **Quiet**
- **Low maintenance**



Nylon wheels
Reduces noise, weight
and cable wear

Smooth progression on cable
Stability
The center mass of the pulley prevents it from
turning on the cable and shocks on the anchors





Easy & quick rescue
Magnetic locking system
Impossible to open the pulley
when a carabiner is connected

Zipline maximum length:




MODEL	REFERENCE	WEIGHT
CLiC-iT RiDER	DAS436	534g

EASY INSTALLATION







Positioner
To ensure a smooth pulley trajectory

For Ø12mm steel cable
Type 6x19 with full steel core

Closed anchor
No need to crimp the cable
Easy adjusment and control of the cable
Will not slip with time



COMPATIBILITY



CLiC-iT thanks to
C-ZAM RiDER
PAGE 43



Equipment carrier
C-HOLDER
PAGE 40

MONTAGES POSSIBLES



With
SLINGS



With
BABO BOLT



On
CABLES



CLIC-IT RIDER



CLIC-IT EASY DÉBRAYABLE


NEW !

CLiC-iT EASY

THE SIMPLEST HOOKED CONTINUOUS BELAY SYSTEM

This is the Hirondo system, in partnership with Pornic Aventure, in service since 2017

- Economical and robust
- Available with a fixed or disengageable hook
- Made from lightweight aluminum (200g)
- Easy to use : from 4 years old
- Quick and easy installation





Opening (patented) allows a smooth passage on the plates

Hook EASY Release
Robust and efficient



Padlock evacuation point
Easy to use



Bifurcation cross (patented)
Obstacle bypass and evacuation possible with no moving parts



Resistant to rust
All our plates are made of stainless steel
For safety line cable
Ø 12mm and Ø12,7mm

C-STOP
Prevents the user from sliding backward on an inclined cable



Switch EASY
Allows temporary disconnection from the lifeline



MODEL	REFERENCE	WEIGHT
CLiC-iT EASY	DAS670	200g
CLiC-iT EASY Release	DAS732	255g
Switch EASY	DAS689	980g
Padlock evacuation point	DAS738	
Bifurcation cross	DAS674	
C-STOP	DAS1160	

ROPEROLLER & SLIMROLLER

THE CONTINUOUS SAFETY SYSTEM DESIGNED TO LAST

In 2015, Hajo Müller developed and launched the ROPEROLLER, before entrusting the marketing and distribution of this innovative continuous safety system to CLiC-iT in 2025.

ROPEROLLER

Easy replacement of the lifeline for each section



Dual lifeline system for high user throughput and fast evacuation

100% stainless steel construction

Designed for 10–12 mm diameter cables



Designed for lifeline systems positioned beyond the participant's reach

SLIMROLLER



- *Compact, lightweight and smaller*
- *Ideal for children's rope courses*

Backstop for cable



Junction



	MODEL	ZIPLINE MAXI LENGTH
	**ROPEROLLER** *REFERENCE DAS800* *900g*	
	**SLIMROLLER** *REFERENCE DAS810* *490g*	

The range of C-ZiP pulleys

Robust and light, our pulleys are made in forged aluminium and limit the risk of pinching fingers.

Discover our C-ZiP pulleys, all compatible with the C-HOLDER to equip your ziplines. They are designed to make guidance easier and with interchangeable wheels and bearings. Very easy and intuitive setup and removal on the cable.

For long ziplines.



C-ZIP LOCK XTREM





C-ZIP XTREM





C-ZiP LOCK SPEED // XTREM

PULLEY LOCKABLE ON THE CABLE

- Personal protective equipment
- Two bearings by wheel





MODEL	WHEELS	ZIPLINE MAXI LENGTH	COMPATIBILITY
 **C-ZiP LOCK SPEED** *REFERENCE DAS368S-**L**** *480g*	 EPI	 200m max	
 **C-ZiP LOCK XTREM** *REFERENCE DAS368X-**L**** *490g*	 EPI	 400m max	
 **C-ZiP LOCK SPEED AR*** *REFERENCE DAS368SAR-**L**** *520g* **Product not available in the UK and the USA*	 EPI	 200m max	
 **C-ZiP LOCK XTREM AR*** *REFERENCE DAS368XAR-**L**** *530g* **Product not available in the UK and the USA*	 EPI	 400m max	

* L = length of C-0 sling (centimeter) // Example: DAS180-45 for a 45 centimeters C-0 sling


***This product is not available in the United Kingdom or the United States.*


C-ZiP LOCK XTREM

NO MORE FRICTION OF THE CONNECTORS ON THE CABLE

- Two bearings by wheel
- One block forged pulley








MODEL	WHEELS	ZIPLINE MAXI LENGTH	COMPATIBILITY
 **C-ZiP XTREM** *REFERENCE DAS180-**L**** *407g*	 *Steel*	 400m max	
 **C-ZiP XTREM AR** *REFERENCE DAS396AR-**L**** *440g* **Product not available in the UK and the USA*	 *Nylon*	 200m max	


* **L** = length of C-0 sling (centimeter) // Example: DAS180-45 for a 45 centimeters C-0 sling

C-ZIP AIR // C-ZIP SPEED

EASY TO USE

- Forged in two parts





Option ⊕ *(for SPEED)*

Two bearings by wheel

MODEL	WHEELS	ZIPLINE MAXI LENGTH	COMPATIBILITY
 **C-ZiP AIR** *REFERENCE DAS185N-**L**** *465g*	 *Nylon*		
C-ZiP SPEED *REFERENCE DAS185-**L**** *530g*	 *Acier*	 ** 300m max with option ⊕*	

* L = length of C-0 sling (centimeter) // *Ex: DAS185N-45 for C-ZiP AIR with a 45 centimeters C-O sling*

C-ZIP

THE RIGHT PULLEY FOR YOUR NEEDS

Zipline Length

400m

	Without connector holders	With connector holders
PPE lockable *Steel sheaves* ERGONOMIC AND EFFICIENT	 **C-ZiP LOCK SPEED** The best pulley on the market	 **C-ZiP LOCK XTREM**
Lockable backstop *réas en acier* FOR MAXIMUM SAFETY	 **C-ZiP LOCK SPEED AR**	 **C-ZiP LOCK XTREM AR**
Open *Steel sheaves* ÉCONOMIQUE	 **C-ZiP SPEED**	 **C-ZiP XTREM**
200m		
Open *nylon sheaves* ÉCONOMIQUE	 **C-ZiP AIR**	 **C-ZiP XTREM AIR** The easiest and quietest to use on the market  **C-ZiP XTREM AIR AR**

COMPATIBILITY



Climbing sling C-0 et Sewn sling C-1 *(p.38)*

Equipment-carrier C-HOLDER/C-TWO *(p.40)*

ANODISATION OPTION



For moist & saline environments

Anti-corrosion coating

C-BODY

EASY-TO-ADJUST AND RELEASE FULL-BODY HARNESS

Low front attachment point according to EN12277 Typ A: 2015 + A1:2018

ERGONOMIQUE

- Adapted for most body types: 2 sizes available

DURABLE

- Fewer components, no padding
- Corrosion resistant
- Easy to clean
- 10 years lifetime
- 2 years warranty
- Textile protective sleeve for the traceability label



MODEL	REFEENCE
C-BODY Large	DAS650
C-BODY Small	DAS651

COLOR Black/Grey

WEIGHT 1100g (±15g)

SIZE LARGE (S to XL) & SMALL (40kg minimum)

IKKO

THE UNIVERSAL SIT HARNESS



- Suitable for sizes 8 y.o to XXL
- Brand CILAO

MODEL	REFEENCE
IKKO	IKKO0AUT1



C-PASS ZIP



C-PASS ZiP


A SAFE AND EFFECTIVE SOLUTION TO PREVENT COLLISIONS ON ZIPLINES

- Block zipline access if someone is already engaged
- 100% automatic and mechanical lock for guaranteed reliability
- Implantable on any type of environment
- Does not require any modification of your PPE
- Autonomous energy (standard rechargeable battery, 1 month of autonomy and rechargeable overnight)

Green indicator that turns red if a person is already engaged on the zipline



« RF » type communication system





MODÈLES



C-PASS ZiP INTERACTIVE CONTINUOUS BELAY SYSTEM
REF:
DAS501



C-PASS ZiP STRUCTURAL CONTINUOUS BELAY SYSTEM
REF:
DAS500
DAS502

OPTION *(compatible with all models)*




C-PiLOT
C-PASS ZiP REMOTE CONTROL
REFERENCE: DAS503

C-PASS ACCESS

PREVENTS ENTERING THE COURSE IF THE CUSTOMER IS NOT ATTACHED TO THE SAFETY LINE

- 100% automatic and mechanical lock for optimum liability
- Easy to install and to use
- Does not require any modification of your PPE







MODEL	REFERENCE	COMPATIBILITY
C-PASS ACCESS pour CLiC-iT 25	DAS510-1000-25	
C-PASS ACCESS pour CLiC-iT 21	DAS510-1000-21	



RODÉOSTOP®




C-ZIP LOCK XTREM

RODÉOSTOP® + KIT A1

THE SAFEST AND MOST RELIABLE AUTOMATIC FALL ARREST DEVICE




AUTOMATIC FALL ARREST DEVICE WITH ENERGY ABSORBER



Can also be fitted with a counterweight

Make sure the counterweight always holds the rope taut when the user's ascent



- **Its pulley actuates the instantaneous blockage in the 2 directions in case of fall** *(«back-and-forth operation»)*
- If dropped, the device is equipped with a shock absorber to stop the user gently
- Using up to 35 meters depending on the length of rope
- Recommended rope: Semi-static Ø 10,5mm
- **Great maneuverability** *(compact, lightweight ≈1kg)*
- **Maintenance is reduced to send for review each year** *(does not required lubrication)*
- **Norm EN360/2002 A.R.A.**

MODEL	REFERENCE
RODÉOSTOP	B100
KIT A1	K-A1



KIT A1


PULLEY WITH SANDOW & ADJUSTING HOOK ON THE ROPE TENSION CHAIN

- Allows continuous and safe use because it limits the height of fall *(no slack on the rope)*
- A good adjustment of the tension of the vertical line with the hook on the chain down, makes the operation of the system very soft


C-UP + C-ABS

C-ZAM L+ ring
(to be ordered separately)

Steel cable
Ø 10mm - Ø 12mm



VERTICAL ANCHOR POINT



C-UP



MAGNETIC VERTICAL POINT

- Facilitates progression
- Avoid twisting lanyards to connect
- No height limit
- No maintenance

C-ABS



SHOCK ABSORBER

- Absorbs shock in the event of a fall
- Compliant with EN355:2002

Check regularly and replace every year

MODEL	REFERENCE	COMPATIBILITY
C-UP	DAS193	
C-ABS	DAS192	

NEW !

BABO® BOLT

THE PATENTED* NATURE-FRIENDLY ALL-IN-ONE TREE-ATTACHMENT SOLUTION

DURABLE AND RESISTANT

100% stainless steel
Machined in one piece



EASY MAINTENANCE

The end of the BABO BOLT protrudes sufficiently beyond the tree to allow it to grow without the need for maintenance.

COMPACT

Ø21mm drilling and M20 stainless steel insert



NATURE ADAPTED

- Each model is designed for a specific species to ensure optimal health

SIMPLE AND FAST

- Installation in only a few minute

In service since 2017 and validated by an expert, Andreas Detter from Tree Consult Brudi & Partner, this solution was developed by

plobabo Plochinger Baumbolzen

Made in Germany

** Patent NR. 10 2021 204 966*

BABO® BOLT

ALL-IN-ONE
Both models can be used for platforms, lifelines and elements

⊕ For trees from Ø25cm upwards (only for BABO BOLT hardwood)
⊕ Drilling depth from 100mm only



Platform*



Safety line**




Elements

Softwood







Hardwood








MODEL	REFERENCE
BABO BOLT for softwood	MBUA50NH160_2.0
BABO BOLT for hardwood	MBUA50_2.0

* 4 BABO BOLT per platform / ** Backup necessary

BABY BOLT

DURABLE & RESISTANT
100% Stainless steel



OPTIMIZED DRILLING AND MINIMUM TOOLS
Drilling Ø4mm and depth 40mm

COMPACT
For cables Ø10mm and Ø12mm

PROTECTS THE TREE
Prevents the safety system from rubbing against the bark of the tree

BACK-UP / REDUNDANCY
Safety line rope

SPREAD - HOLD - STIFFEN
The intermediate safety line rope

- Quick installation: just 2 minutes, no additional hardware required
- Compatible with all our security systems



C-ZAM CLiC-iT
Ring



CLiC-iT RiDER
Positioner



CLiC-iT EASY
Positioner

MODEL	REFERENCE
BABY BOLT Ø10mm	SK10SSGK
BABY BOLT Ø12mm	DAS705

BABO JIG

PLATFORM DRILLING JIG

⊕ Time-saving
⊕ Can be installed by a single technician






TWO MODELS



3 arms



4 arms

ADJUSTABLE

adapts perfectly to the size of logs from Ø10cm to 14cm thanks to the shims included with each jig





Supplied with protective case

INDIVIDUALS EQUIPMENTS

C-8+ openable swivel Quick Link

Allow to attach the CLiC-iT to the harness



C8+



QUICK LINK

C-HOLDER & C-TWO


Equipment carrier allowing to hold the CLiC-iT equipment



C-HOLDER



C-TWO



C-0 // C-1 slings

Allow to attach C-ZiP, CLiC'N'ZiP & CLiC-iT to the harness

C-0

C-1

SLINGS

ENABLES THE CLIC-IT SYSTEM TO REACH THE HEIGHT OF THE SAFETY CABLE

MOUNTAIN RING C-0



SLING C-1




SWIVELS

ALLOW FREE ROTATION PREVENTS THE LANYARD FROM TWISTING

C-8
Swivel
CE 24kN




C-8+
Openable swivel
CE 25kN



QUICK LINK

MATERIAL
Stainless steel

CE 45kN



MODEL	REFERENCE	AVAILABLE LENGHTS	FUNCTIONAL HEIGHT	OPENING	WEIGHT
SLING C-0	DAS060-**L***	20cm - 27cm 35cm - 45cm			
SLING C-1	DAS060EL-CIL-**L***	55cm - 70cm 90cm - 110cm			
C-8	DAS070		52mm	/	90g
C-8+	DAS132		57mm	13mm	115g
QUICK LINK	MRNI07.0		51mm	8.5mm	52g

*L = Length of mounting ring or sling (cm) *// Example: DAS060EL-CIL-55 for a 55cm C-1 sling*

C-8+


OTHER ACCESSORIES



C-HOLDER

C-ZIP, RIDER AND CLIC'N'ZIP EQUIPMENT CARRIER

- Pulley is easy to place on the harness & to remove from it
- Easy to fix on any harness
- Limits the risk of the pulley being caught
- Prevents the pulley from remaining attached to the equipment-carrier during a zipline





C-TWO

EQUIPMENT CARRIER

- Allows to hold the connectors or the C-ZiP pulley on the side of the harness between the courses
- Adapts to all types of harness
- Avoid to drag the connectors on the ground
- Easy fastening on the harness





MODEL	REFERENCE	COMPATIBILITY
C-HOLDER	DAS355	
C-TWO	DAS046	

• *Position of the C-HOLDER on the pulley*

▬ *The use of the C-HOLDER on C-ZiP XTREM pulley or CLiC'N'ZiP lanyard you already have (previous models) requires that you return it to the workshop for modification to ensure optimal compatibility*

PARK EQUIPMENTS

C-CONNECT

Allow the hanging of the CLiC-iT connectors onto non-ferromagnetic parts of the course



MONKEY HARDWARE

Climbing hold



C-STOP

Non-return mechanical stop allowing the stop during a fall



BRIEFING SIGNS





C-ZAM RINGS

Magnetic rings allowing the anchor detection of the CLiC-iT connectors



C-RACK

Storage rack for lanyards



C-OFF

Course way out allowing to remove the both connectors



C-ZAM L+

MAGNETIC RINGS FOR CLIC-IT CONNECTOR ANCHOR DETECTION





Ø10mm, 12mm et 12,7mm

Even easier anchor detection, with an optimized connection zone



Position des aimants

Available in 5 colors:



IN +



C-ZAM RESCUE
RESCUE RING

- Always have a C-ZAM ring on hand for rescues
- Clings to the belt, harness or keychain


C-ZAM RIDER


MAGNETIC RINGS ALLOWING THE ANCHOR DETECTION OF THE CLIC-IT CONNECTORS COMPATIBLE WITH THE CLiC-iT RIDER

- Allows the use of the CLiC-iT and the CLiC-iT RiDER on the same route
  Adults can accompany kid(s) without changing their own equipment
- **The participant can go to the right or to the left of the ring a once connected**

Available in 5 colors:







MODEL	REFERENCE	COMPATIBILITY
C-ZAM L+	DAS148C*	
C-ZAM RiDER	DAS451C*	
C-ZAM RESCUE	DAS194	

**C = Color B = Blue; V = Green; N = Black; J = Yellow; R = Red // Example: DAS148-V for a green C-ZAM L+ Ring*

C-CONNECT

ANCHOR POINTS

Enable the hanging of the CLiC-iT connectors onto non-ferromagnetic parts of the course
(with C-ZAM L+ ring for 25 and CLiC'N'ZiP models - order separately)



C-CONNECT 25

- **Made of cataphoresis steel wire Ø12**
- Simplified briefing. The user connects only to the C-ZAM L+ rings
- Once the first CLiC-iT connector is attached, it slides naturally to make the ring accessible to the second connector

CE 25kN





C-CONNECT CLIC'N'ZIP

- Made of cataphoresis steel wire Ø12
  15 kN





C-CONNECT V2



C-CONNECT V2+

C-CONNECT V2 ET V2+

- In forged aluminium
- Ideal for «Tarzan jump» type workshops and fall arrest systems


CE 20 kN

MODEL	REFERENCE	WEIGHT	COMPATIBILITY
C-CONNECT 25	DAS346	490g *(sans bague)*	
C-CONNECT CLiC'N'ZiP	DAS184	450g *(sans bague)*	
C-CONNECT V2	DAS170	135g	
C-CONNECT V2+	DAS175	140g	

⚠ *Risk of injury in case of impact with the face*



C-ZAM L+ RING



C-CONNECT V2

OTHER COURSE ELEMENTS

C-OFF

COURSE WAY OUT

- Allows the removal of the connectors from the safety cable at the entrance and at the exit of a course
- This accessory must be positioned on the safety cable only at ground level



C-STOP

NON-RETURN MECHANICAL STOP

- Allows the use of CLiC-iT connectors on sloping courses, while acting as a stop during the fall
- To be installed on a sloping course with a maximum angle of 35°



MODEL	REFERENCE	COMPATIBILITY
C-OFF	DAS044	
C-STOP	DAS075	



«MONKEY» STAND & «CAMP» HOLD

Climbing hold easy to attach on trees and to carry

- Hand and foot hold
- Climbing height: about 11 meters
- Suitable for children and beginners
- Weatherproof
- Certificated DIN EN 12572-3 & EN 1176.1





RATCHET STRAP

Steel ratchet attachment strap with integrated locking system

- Evolutionary tightening of the straps to respect the growth of the support shaft
- Easy fixing and settings
- Optimum security
- UV resistant and allowing a lasting use on trees
- Certificated DIN EN 9001:2000, ISO/TS 16949/2002

PACK «CAMP»

- 27x 3,2m ratchet straps
- 27x « Monkey » stands
- 25x Yellow Camp hold
- 25x M10 threaded screw
- 1x 6mm Allen key
- 1x carry bag



PACK EXTENSION «MAXICAMP»

- 27x « Monkey » stands
- 25x MaxiCamp hold
- 25x M10 threaded screw
- 1x 6mm Allen key
- 1x carry bag



MODEL	REFERENCE
PACK «CAMP»	1410322-J
PACK «MAXICAMP»	1411000-O

C-RACK

STORAGE RACK FOR LANYARDS

- Allows the storage of 80 CLiC-iT lanyards and preserves the lanyards control cables
- 100% stainless steel



OPTION

Inflated wheels

For unstable ground



Lanyard storage



MODEL	REFERENCE	COMPATIBILITY
C-RACK	DAS280	
C-RACK + Option	DAS287	

BRIEFING SIGNS

Series of 8 multilingual briefing signs explaining the operation of the CLiC-iT ADVENTURE hardware (model 25)

MATERIAL

Dibond aluminium
Corrosion, UV and impact resistant



DAS432-1LG*
«PRESENTATION OF CLiC-iT»




DAS432-2
«FORBIDDEN MANEUVERS»



DAS42-3
«FIX A CONNECTOR»



DAS432-4
«STARTING ON A ROUTE»



DAS432-5
«REMOVING A CONECTOR»



DAS432-6
«LEAVING A ROUTE»



DAS432-7
«CONNECT ON C-CONNECT»



DAS432-8
«HOW TO USE A C-ZIP XTREM»



DAS432-9
«HOW TO USE A PULLEY»



MODEL	REFERENCE	COMPATIBILITY
PACK PANNEAUX - C-ZiP XTREM	DAS430-**LG***	
PACK PANNEAUX - OTHER PULLEYS	DAS431-**LG***	
INDIVIDUAL SIGN	DAS432-**N****	

*LG = Desired language (FR/EN/DE/ES/IT) **N = Sign number

CLiC-iT® PRO 60

P.P.E. FOR CONTINUOUS PROTECTION

Category 3 PPE compliant with the following standards:
EN 354 (lanyards) – EN 362 (connectors) – EN 355 (energy absorbers)

SUITABLE FOR:

- Scaffolding
- Ladders/Masts
- Anchor points
- Cables
- Straps/Ropes
- Pylons/Angle beams



THE PRODUCT'S '+'

Resists diagonal fastening & ensures a 100% secure lock



↑ DISCOVER ALSO ↓

C-RACK OZON

DISINFECTION CABINET WITH OZONE GAS

Simple, efficient and quick solution to disinfect all types of equipment. Allows the disinfection of all materials, toolings, equipments. Safe for the equipment and the operator. The ozone generator diffuses a gas inside the cabinet at the recommended threshold for a complete and perfect disinfection.

- **AUTOMATIC:** Just press a button to start the disinfection process automatically and to safety lock the system
- **FAST:** Allows the disinfection of material, tooling and equipment with no drying required
- **IMMEDIATE USE:** Ozone is drawn from ambient air and fed back in the cabinet without any other intake







L'ATELIER DE FABRICATION

CLiC-iT
simply smart

CONTACT US

CLiC-iT - SARL DEHONDT
5 rue des Terres (Cellule 7)
51420 CERNAY-LÈS-REIMS
FRANCE

+33 3 26 47 11 34

contact@clic-it.eu

www.clic-it.eu

CLiC-iT
simply smart

CLiC-iT wishes you a fun and safe season!

www.clic-it.eu

v26.2