

The right pulley for your needs



C-ZiP AIR
LIGHT ET SILENT



C-ZiP SPEED
INTUITIVE ET PERFORMING



C-ZiP XTREM
WITH CONNECTOR HOLDERS



C-ZiP LOCK SPEED
PPE PULLEY

Lockable



C-ZiP LOCK XTREM
PPE PULLEY WITH CONNECTOR HOLDERS



ANODISATION OPTION
For moist & saline environments

Anti-corrosion coating



COMPATIBILITY





Climbing sling C-0 et Sewn sling C-1 (p.36)
Equipment-carrier C-HOLDER/C-TWO (p.39-40)



C-ZIP AIR // C-ZIP SPEED

EASY TO USE

- ✓ Forged in two parts



+ option (for SPEED)
Two bearings by wheel

MODEL	WHEELS	ZIPLINE MAXI LENGTH	COMPATIBILITY
 <p>C-ZIP AIR + C-0 REFERENCE DAS185N-L* 465g</p>	 Nylon		
 <p>C-ZIP SPEED + C-0 REFERENCE DAS185-L* 530g</p>	 Steel		



* L = length of C-0 sling (centimeter)
Example: DAS185N-45 for C-ZIP AIR with a 45 centimeters C-0 sling

* 300m max with **+** option

C-ZIP XTREM

NO MORE FRICTION OF THE CONNECTORS ON THE CABLE

- ✓ Two bearings by wheel
- ✓ One block forged pulley



MODEL

WHEELS

ZIPLINE MAXI LENGTH


COMPATIBILITY



C-ZIP XTREM + C-0
REFERENCE DAS180-L*
407g



Steel





* L = length of C-0 sling (centimeter) // Example: DAS180-45 for a 45 centimeters C-0 sling



C-ZIP LOCK SPEED // XTREM

PULLEY LOCKABLE ON THE CABLE

- ✓ Personal protective equipment
- ✓ Two bearings by wheel



MODEL	WHEELS	ZIPLINE MAXI LENGTH	COMPATIBILITY
 <p>C-ZIP LOCK SPEED REFERENCE DAS368S 480g</p>	 Steel		
 <p>C-ZIP LOCK XTREM REFERENCE DAS368X 490g</p>	 Steel		