



CLiC-iT
ADVENTURE & MOUNTAIN
CATALOGUE EDITION 2023



C-ZIP

THE PULLEY



CLiC-iT RiDER

CONTINUOUS BELAY SYSTEM WITH PULLEY




CLiC-iT ADVENTURE

CONTINUOUS YET INTERACTIVE
BELAY SYSTEM




LE CLOU SVA

TREE ATTACHMENT SOLUTIONS



C-PASS ZIP

PREVENTS COLLISIONS ON ZIPLINE



RODEOSTOP

AUTOMATIC FALL ARREST DEVICE

SUMMARY

P. 4 THE COMPANY

P. 9 CLiC-iT

P. 18 CLiC-iT RiDER

P. 20 C-ZiP

P. 26 C-BODY

P. 27 C-PASS

P. 30 RODEOSTOP

P. 32 LE CLOU SVA

P. 34 INDIVIDUAL EQUIPMENTS

P. 40 PARK EQUIPMENTS



**PLEASE READ THE USER'S
MANUAL VERY CAREFULLY TO
CHOOSE AVAILABLE OPTIONS &
USE THE PRODUCT CORRECTLY**

Images are non contractual

HISTORY

A French invention



«While on an adventure course, trying to help a child who was stuck, I found myself in a dangerous situation. Then I imagined my children completely detached from the safety cable, 25 meters up in a tree... I started spending all my evenings and weekends looking for a solution to this problem! »

CLiC-iT® is a revolutionary solution that has given rise to a complete line of products made to serve different needs in the fields of recreation, construction, and industry.

Thierry Dehondt
CEO

OUR COMMITMENT

Peace of mind

We are dedicated to providing peace of mind, total freedom and maximum efficiency to those who have activities at heights.

To do this, we want to give you the best:
safety, highest longevity, easy of use & customer service.

CLiC-iT proposed innovative, simple and reliable solutions to ensure continuous safety for the user throughout the adventure, a real guarantee of peace of mind for the adventure park manager.

OUR EXPERTISE

Innovation & quality

Our team develops innovative, patented products that meet the various safety needs identified in the field. In order to meet your expectations, all our concepts are tested on site to ensure their relevance and efficiency.

CLiC-iT guarantees robust, high quality materials for a long life and increased resistance of the products. CLiC-iT is also a team that is always ready to listen to you for a better service.



THE CLiC-iT TEAM

C-PASS ZiP

System that prevents collisions on ziplines



C-ZiP

Range of pulleys for ziplines



RODEOSTOP®

Automatic fall arrest device with energy absorber



LE CLOU S.V.A

Tree, climbing platform and pole attachment solution



CLIC-IT RIDER

Continuous belay system with pulley






The most complete range of solutions for adventure parks

C-BODY

Full body harness



CLiC-it

Communicating,
dual-leg lanyard



XAVAGE MEXICO



FLAGSTAFF EXTREME FLORIDA



MAGIC JUNGLE, SHANGHAI



LE POISSON VOLANT - FRANCE



VIA FERRATA
IN TERRA CORSA - FRANCE




The image features a solid orange background. On the left side, there is a large, white, stylized letter 'C' that is partially cut off by the edge. Scattered around the 'C' and the text are several white geometric shapes: a vertical rectangle at the top left, a diagonal rectangle in the upper middle, a horizontal rectangle in the middle right, and another diagonal rectangle in the lower middle. The text 'CLiC-iT' is positioned in the lower right area, rendered in a bold, white, sans-serif font.

CLiC-iT

CLiC-iT


What is it ?

1 Interconnection




2 Connection

Thanks to its anchorage detection, the CLiC-iT can only be connected on the safety line or on the C-ZAM rings. It prevents the user from connecting in the wrong place.



3 Disconnection

Disconnection of the CLiC-iT is possible only if the trigger is pressed.



The **3** **safety** mechanisms of CLiC-iT

The CLiC-iT lanyards have three independent safety mechanisms that guarantee maximum protection for each step of the user's course.

These simple and intelligent mechanisms have enabled the CLiC-iT to be awarded the «Product Winner» Award in the «Innovation» category at IAPA AWARD 2016.



CLiC-iT

For who ?



**Forest
adventure park**



**Indoor
ropes course**



**Ropes course
on poles**



Via Ferrata



The **design** of CLiC-iT

The design of CLiC-iT has been awarded the 2018 label of the Observateur du Design, the most important French design award.



INDIAN FOREST - FRANCE



CAPE FEARLESS EXTREME, USA

Freedom and simplicity

CLiC-iT® ADVENTURE is a communicating, dual-leg lanyard for aerial adventure courses that provides peace of mind to those who climb it and those who run it.

CLiC-iT® ADVENTURE:

- ✓ Enables the user to actively secure himself, thus keeping the adventurous spirit of climbing alive
- ✓ Provides easy, one-handed ergonomic handling, making the adventure even more enjoyable by anyone, from the age of 4 and up
- ✓ Offers hassle-free passage even when encountering forks or intersections, ziplines, jumps, climbing walls or balance challenges
- ✓ Prevents queuing so everybody enjoy their adventure at their own pace without feeling rushed or slowed down



Low maintenance

High-grade materials paired a simple mechanism yield a high life expectancy


CLiC-iT® ADVENTURE:

- ✓ Is composed of few moving parts, making the product exceptionally durable and easy to repair
- ✓ Is an innovative and ergonomic design which is perfectly suitable for handling by children and facilitates the smooth connection to the anchor points
- ✓ Allow for easy on site inspection and maintenance



CLiC-iT ADVANTAGES

OPENING ONE CONNECTOR AUTOMATICALLY
LOCKS THE OTHER ONE



EASY TO USE

- From the age of 4
- With one hand
- One single manipulation to unlock one of the 2 carabiners



SAFE

- D safety level
- (Compliance with EN17109)
- 3 independant safety mechanisms



RELIABLE, DURABLE & ECONOMICAL

- High-grade materials paired with a simple mechanism
- Bowden cables are always pulled (*not pushed*)
- Few mobile parts, exceptionally durable & easy to repair
- Easy inspection and maintenance on site
- Second generation CLiC-iT in operation since 2017
- 4 years warranty (*Europe*)



C-ZAM L+



Ensures that participant only connects on the safety line



Choose the right CLiC-iT for you

CLiC-iT ADVENTURE

ROPE COURSE PARK



CONNECTION TO THE HARNESS
(Choose)



C-8 SWIVEL



C-8+ OPENABLE
SWIVEL




Anodization
option

Anti-corrosion
coating

CLiC-iT MOUNTAIN

VIA FERRATA



WITH ENERGY ABSORBER

CLiC'N'Zip

WITH INTEGRATED PULLEY



SEE FOLLOWING PAGES

REFERENCE	A	L ¹	L ²
A4 (recommended for kids)	110cm	63cm	73cm
A6 (recommended for adults)	150cm	76cm	99cm
M8 (Via Ferrata)	110cm	110cm	110cm

ANCHOR DETECTION

(Choose)


Version	Steel cable	C-ZAM L+ ring
1	✓	✓
2	✗	✓



CLiC'N'ZiP

CLiC-iT WITH INTEGRATED PULLEY

- ✓ No more need for a third lanyard for the pulley
- ✓ Simplified briefing
- ✓ Simplified rescue for the operator on the ground
- ✓ From the age of 9




MATERIALS

- Forged aluminium housing
- Copper-aluminium alloy mechanism
- High-strength PA grip handles reinforced with glassfibre
- Dyneema®/Spectra® sling



TOTAL WEIGHT

1.5kg

Zipline maximum length:



CLIC'N'ZIP CONNECTOR: A REAL PULLEY



REFERENCE	A	L ¹	L ²
A4x25 ZiP	110cm	63cm	73cm
AJx25 ZiP	130cm	66cm	89cm
A6x25 ZiP	150cm	76cm	99cm

CLiC-iT RiDER

CONTINUOUS BELAY SYSTEM WITH PULLEY

THE EASIEST & SMOOTHEST PPE SOLUTION!

- ✓ **Simple:** the user has nothing to manipulate
- ✓ **A single PPE for challenges and ziplines**
- ✓ **Intuitive:** reduced briefing
- ✓ **Ergonomic and easy to use:** from 3 years old
- ✓ **Quiet**
- ✓ **Low maintenance**



Stability
The center mass of the pulley prevents it from turning on the cable and shocks on the anchors
Smooth progression on cable



Zipline maximum length:



MODEL	REFERENCE	WEIGHT
CLiC-iT RiDER	DAS436	534g





Positioner

To ensure a smooth pulley trajectory

For Ø12mm steel cable

Type 6x19 with full steel core

Closed anchor

No need to crimp the cable

Easy adjustment and control of the cable

Will not slip with time



EASY SETUP
AND MAINTENANCE

NEW



CLiC-iT compatible with
C-ZAM RIDER

See page 43



Assembly with
LE CLOU

See page 32



Assembly with
SLINGS



The **range** of C-ZiP pulleys

Robust and light, our pulleys are made in forged aluminium and limit the risk of pinching fingers.

Discover our C-ZiP pulleys, all compatible with the C-HOLDER to equip your ziplines. They are designed to make guidance easier and with interchangeable wheels and bearings. Very easy and intuitive setup and removal on the cable.

For long ziplines.



C-ZiP LOCK XTREM



C-ZiP XTREM

Choose the pulley

that suits your needs



C-Zip AIR
LIGHT ET SILENT



C-Zip SPEED
INTUITIVE ET PERFORMING



C-Zip XTREM
WITH CONNECTOR HOLDERS



C-Zip LOCK SPEED
PPE PULLEY

Lockable



C-Zip LOCK XTREM
PPE PULLEY WITH CONNECTOR HOLDERS



ANODISATION OPTION
For moist & saline environments

Anti-corrosion coating



COMPATIBILITY





Climbing sling C-0 et Sewn sling C-1 (p.36)
Equipment-carrier C-HOLDER/C-TWO (p.38-39)




C-ZiP AIR // C-ZiP SPEED

EASY TO USE

- ✓ Forged in two parts




+ option (for SPEED)
Two bearings by wheel

MODEL	WHEELS	ZIPLINE MAXI LENGTH	COMPATIBILITY
 C-ZiP AIR + C-0 REFERENCE DAS185N-L* 465g	 Nylon	 200m	
 C-ZiP SPEED + C-0 REFERENCE DAS185-L* 530g	 Steel	 200m*	

* L = length of C-0 sling (centimeter)
Example: DAS185N-45 for C-ZiP AIR with a 45 centimeters C-0 sling






C-ZiP XTREM

NO MORE FRICTION OF THE CONNECTORS ON THE CABLE

- ✓ Two bearings by wheel
- ✓ One block forged pulley



MODEL

WHEELS

ZIPLINE MAXI LENGTH


COMPATIBILITY



C-ZiP XTREM + C-0
REFERENCE DAS180-L*
407g



Steel





* L = length of C-0 sling (centimeter) // Example: DAS180-45 for a 45 centimeters C-O sling



C-ZiP LOCK SPEED // XTREM

PULLEY LOCKABLE ON THE CABLE

- ✓ Personal protective equipment
- ✓ Two bearings by wheel



MODEL

WHEELS

ZIPLINE MAXI LENGTH


COMPATIBILITY



C-ZiP LOCK SPEED
REFERENCE DAS368S
480g



C-ZiP LOCK XTREM
REFERENCE DAS368X
490g



KONG FOREST, VIETNAM



TREETRAILS TREVOSE PARK, USA


C-BODY

FULL BODY HARNESS

Low front attachment point according to EN12277 Typ A: 2015 + A1:2018

ERGONOMIC
✓ Adapted for most body types: 2 sizes available

LONG TERM OPERATION
✓ Fewer components, no padding ✓ 10 years lifetime ✓ Protective fabric pouch for traceability label
✓ Corrosion resistant ✓ 2 years warranty
✓ Easy to clean



NEW

MODEL	REFERENCE
C-BODY Large	DAS650
C-BODY Small	DAS651

COLOR Black/Grey

WEIGHT 1100g (±15g)

SIZE SMALL (40kg minimum) & LARGE (S to XL)



C-PASS

range


Our C-PASS access control systems, simple & reliable, avoid human error or a possible lack of vigilance. Its optimize the suveillance of the park with optimal safety.

We have developed these two systems in order to eliminate residual risks in adventure parks:

C-PASS ACCESS to avoid any participant not attached to the lifeline: it blocks safetyline access if the person is not attached at the start of the course

C-PASS ZiP to prevent collisons on zipline: it blocks zipline access if someone is already engaged

C-PASS ZIP




C-PASS ACCESS

ACCESS CONTROL SYSTEM

- ✓ Prevents entering the course if customer not attached to the safety line
- ✓ 100% automatic & mechanical lock for guaranteed reliability
- ✓ Easy to install and to use
- ✓ Does not requires any modification of your PPE
- ✓ Compatible with any continuous safety systems (EN15567 standard)



STOP



GO



NEW

MODEL

REFERENCE

COMPATIBILITY

C-PASS ACCESS


DAS510




C-PASS ZiP

SYSTEM THAT PREVENTS COLLISIONS ON ZIPLINE

- ✓ Block zipline access if someone is already engaged
- ✓ 100% automatic and mechanical lock for guaranteed reliability
- ✓ Implantable on any type of environment
- ✓ Does not require any modification of your PPE
- ✓ **Autonomous energy** (standard rechargeable battery, 1 month of autonomy and rechargeable overnight)



Green indicator that turns red if a person is already engaged on the zipline



« RF » type communication system

MODEL



C-PASS ZiP INTERACTIVE CONTINUOUS BELAY SYSTEM

REF:
DAS501



OPTION (compatible with all models)



C-PASS ZiP STRUCTURAL CONTINUOUS BELAY SYSTEM

REF:
DAS500
DAS502




C-PiLOT

C-PASS ZiP REMOTE CONTROL
REFERENCE: DAS503



RODEOSTOP® + KIT A1



RODEOSTOP

AUTOMATIC FALL ARREST DEVICE WITH ENERGY ABSORBER

✓ Its pulley actuates the instantaneous blockage in the 2 directions in case of fall («operation to & fro»)

✓ If dropped, the device is equipped with a shock absorber to stop the user gently

✓ Using up to 35 meters depending on the length of rope

✓ Recommended rope: Semi-static Ø 10,5mm

✓ Great maneuverability (compact, lightweight ≈1kg)

✓ Maintenance is reduced to send for review each year (does not required lubrication)

✓ Norm EN360/2002 A.R.A.



KIT A1

PULLEY WITH SANDOW & ADJUSTING HOOK ON THE ROPE TENSION CHAIN

✓ Allows continuous and safe use because it limits the height of fall (no slack on the rope)

✓ A good adjustment of the tension of the vertical line with the hook on the chain down, makes the operation of the system very soft



MODEL	REFERENCE
RODEOSTOP	B100
KIT A1	K-A1





LE CLOU SVA

TREE ATTACHMENT SOLUTIONS*

FOR CLIMBING PLATFORM SAFETY LINE & TREEHOUSE

✓ **SIMPLE AND FAST**

Installation in a few minutes only

✓ **NATURE CONSERVATION**

Allows the tree to grow and to breathe, without damaging it and while respecting nature

✓ **COMPATIBILITY WITH A WIDE RANGE OF WOODS**

Can be adapted to all types of trees and also to your current installations

✓ **«ZERO» MAINTENANCE**

Make it possible to eliminate maintenance over 10 years

Hot-dip galvanized steel

In accordance with
EN15567-1 standard



LE CLOU SAFETY LINE



LE CLOU PLATFORM



LE CLOU SPACER

NEW

MODEL

REFERENCE

LE CLOU SAFETY LINE

CL-CLDV

LE CLOU PLATFORM

CL-KCPF

LE CLOU SPACER

CL-CBUM20



C-TWO EQUIPMENT CARRIER



C-8 SWIVEL

The background is a solid orange color. It features several abstract geometric elements in a lighter shade of orange: a vertical bar on the left edge, a large semi-circular shape on the left, a horizontal bar in the center, and two diagonal bars, one in the upper right and one in the lower right.

**INDIVIDUALS
EQUIPMENTS**

INDIVIDUALS EQUIPMENTS

C-8+ openable swivel Quick Link

Allow to attach the CLiC-iT to the harness



C8+



QUICK LINK

C-HOLDER & C-TWO

Equipment carrier allowing to hold the CLiC-iT equipment



C-HOLDER



C-TWO

C-0 // C-1 slings


Allow to attach C-ZiP & CLiC-iT to the harness



C-0



C-1



SLINGS

ENABLES THE CLiC-iT SYSTEM TO REACH
THE HEIGHT OF THE SAFETY CABLE

In compliance with standards:
EN 566: 2006, 22kN

C-0 CLIMBING SLING



C-1 SEWN SLING



MODEL	REFERENCE	AVAILABLE LENGTHS
C-0	DAS060-L*	20cm - 27cm - 35cm - 45cm
C-1	DAS060EL-CIL-L*	55cm - 70cm - 90cm - 110cm

*L = length of sling (centimeter) Example: DAS060EL-CIL-55 for a 55 centimeters C-1 sling




SWIVELS

ALLOW A FREE ROTATION AND HELPS AVOIDING TWISTING IN THE LANYARD


C-8 swivel

CE 24 kN




C-8+ openable swivel

CE 25 kN



QUICK LINK

CE 45 kN



MATERIAL
Stainless steel

MODEL	REFERENCE	FUNCTIONAL HEIGHT	OPENING	WEIGHT
C-8	DAS070	52mm	/	90g
C-8+	DAS132	57mm	13mm	115g
QUICK LINK	MRNI07.0	51mm	8.5mm	52g




C-HOLDER

EQUIPMENT-CARRIER FOR C-ZIP PULLEYS & CLIC'N'ZIP

- ✓ Pulley is easy to place on the harness & to remove from it
- ✓ Easy to fix on any harness
- ✓ Limits the risk of the pulley being caught
- ✓ Prevents the pulley from remaining attached to the Equipment-carrier during a zipline



NEW

MODEL	REFERENCE	COMPATIBILITY
C-HOLDER	DAS355	

● Position of the C-HOLDER on the pulley

■ The use of the C-HOLDER on C-ZIP XTREM pulley or CLIC'N'ZIP lanyard you already have (previous models) requires that you return it to the workshop for modification to ensure optimal compatibility



OTHER ACCESSORIES

C-TWO EQUIPMENT CARRIER








- ✓ Allows to hold the connectors or the C-ZiP pulley on the side of the harness between the courses
- ✓ Avoid to drag the connectors on the ground
- ✓ Easy fastening on the harness



C-ZAM RESCUE RESCUE RING

- ✓ Always have a C-ZAM ring on hand for rescues
- ✓ Clings to the belt, harness or keychain

MODEL	REFERENCE	COMPATIBILITY
C-TWO	DAS046	   
C-ZAM RESCUE	DAS194	



The background is a solid orange color. It features several abstract geometric shapes in a lighter shade of orange. On the left side, there is a large, thick, semi-circular arc. Above and below the center-right area, there are two parallel diagonal bars. In the center-right, there is a horizontal bar. The text 'PARK EQUIPMENTS' is positioned in the lower right quadrant, below the horizontal bar.

PARK EQUIPMENTS

MONKEY HARDWARE

Climbing hold



C-CONNECT

Allow the hanging of the CLiC-iT connectors onto non-ferromagnetic parts of the course



C-STOP

Non-return mechanical stop allowing the stop during a fall



BRIEFING SIGNS



C-ZAM RINGS

Magnetic rings allowing the anchor detection of the CLiC-iT connectors



C-RACK

Storage rack for lanyards



C-OFF


Course way out allowing to remove the both connectors



C-ZAM RiDER

MAGNETIC RINGS ALLOWING THE ANCHOR DETECTION OF THE CLiC-iT CONNECTORS COMPATIBLE WITH THE CLiC-iT RiDER

- ✓ **Allows the use of the CLiC-iT and the CLiC-iT RiDER on the same route**
↳ Adults can accompany kid(s) without changing their own equipment
- ✓ **The participant can go to the right or to the left of the ring a once connected**



MODEL

REFERENCE

COMPATIBILITY

C-ZAM RiDER

DAS451





Ø10 to 12

C-ZAM L+ magnetic rings

MAGNETIC RINGS ALLOWING THE ANCHOR DETECTION OF THE CLIC-IT CONNECTORS

To be fixed on safety cables of 10mm, 12mm and 12,7mm diameters

Even easier anchor detection, with an optimized connection zone



Available in 5 colors:



MODEL	REFERENCE	COMPATIBILITY
C-ZAM L+	DAS148-C*	



*C = Color B = Blue; V = Green; N = Black; J = Yellow; R = Red
Example: DAS148-V for a green C-ZAM L+ Ring



C-CONNECT

ANCHOR POINTS


Enable the hanging of the CLiC-iT connectors onto non-ferromagnetic parts of the course
(with C-ZAM L+ ring for 25 and CLiC'N'ZiP models - order separately)



C-CONNECT 25

- ✓ Made of cataphoresis steel wire Ø12
- ✓ Simplified briefing. The user connects only to the C-ZAM L+ rings
- ✓ Once the first CLiC-iT connector is attached, it slides naturally to make the ring accessible to the second connector

CE 25kN



C-CONNECT CLiC'N'ZiP

- ✓ Made of cataphoresis steel wire Ø12




15 kN



C-CONNECT V2

- ✓ In forged aluminium
- ✓ Ideal for «Tarzan jump» type workshops and fall arrest systems

CE 20 kN

MODEL	REFERENCE	WEIGHT	COMPATIBILITY
C-CONNECT 25	DAS347	490g (without ring)	
C-CONNECT CLiC'N'ZiP	DAS184	450g (without ring)	
C-CONNECT V2	DAS170	135g	

OTHER COURSE ELEMENTS

C-OFF

COURSE WAY OUT


- ✓ Allows the removal of the connectors from the safety cable at the entrance and at the exit of a course
- ✓ This accessory must be positioned on the safety cable only at ground level




C-STOP

NON-RETURN MECHANICAL STOP


- ✓ Allows the use of CLiC-iT connectors on sloping courses, while acting as a stop during the fall
- ✓ To be installed on a sloping course with a maximum angle of 35°



MODEL	REFERENCE	COMPATIBILITY
C-OFF	DAS044	
C-STOP	DAS075	

C-UP + C-ABS

VERTICAL ANCHOR POINT



MODEL	REFERENCE	COMPATIBILITY
C-UP	DAS193	
C-ABS	DAS192	



Monkey Hardware®



«MONKEY» STAND & «CAMP» HOLD

Climbing hold easy to attach
on trees and to carry

- ✓ Hand and foot hold
- ✓ Climbing height: about 11 meters
- ✓ Suitable for children and beginners
- ✓ Weatherproof
- ✓ Certificated DIN EN 12572-3 & EN 1176.1

RATCHET STRAP

Steel ratchet attachment strap with
integrated locking system

- ✓ Evolutionary tightening of the straps to respect the growth of the support shaft
- ✓ Easy fixing and settings
- ✓ Optimum security
- ✓ UV resistant and allowing a lasting use on trees
- ✓ Certificated DIN EN 9001:2000, ISO/TS 16949/2002



PACK «CAMP»

- ✓ 27x 3,2m ratchet straps
- ✓ 27x « Monkey » stands
- ✓ 25x Yellow Camp hold
- ✓ 25x M10 threaded screw
- ✓ 1x 6mm Allen key
- ✓ 1x carry bag



EXTENSION PACK «MAXICAMP»

- ✓ 27x « Monkey » stands
- ✓ 25x MaxiCamp hold
- ✓ 25x M10 threaded screw
- ✓ 1x 6mm Allen key
- ✓ 1x carry bag



MODEL

REFERENCE

«CAMP» PACK

1410322-J

«MAXICAMP» PACK

1411000-O



C-ZAM L+ RING



C-CONNECT V2

C-RACK

STORAGE RACK FOR LANYARDS



OPTION

Inflated wheels

For unstable ground

- ✓ Allows the storage of 80 CLiC-iT lanyards and preserves the lanyards control cables
- ✓ 100% stainless steel



Lanyard storage



MODEL

REFERENCE

COMPATIBILITY

C-RACK

DAS280

C-RACK + Option

DAS287



BRIEFING SIGNS

PACK OF SIGNS FOR BRIEFING

✓ Series of 8 multilingual briefing signs explaining the operation of the CLiC-iT ADVENTURE hardware (model 25)




MATERIAL

Dibond aluminium
Corrosion, UV and impact resistant

DAS432-1LG*
« Presentation of CLiC-iT »




DAS432-2
« Forbidden maneuvers »




DAS432-3
« Fix a connector »



DAS432-4
« Starting on a route »



DAS432-5
« Removing a connector »



DAS432-6
« Leaving a route »



DAS432-7
« Connect on C-CONNECT »



DAS432-8
« How to use a C-ZIP XTREM pulley »



OR

DAS432-9
« How to use a pulley »



MODEL

REFERENCE

COMPATIBILITY

PACK OF SIGNS - C-ZiP XTREM

DAS430-LG*

PACK OF SIGNS - OTHER PULLEYS

DAS431-LG*

INDIVIDUAL SIGN

DAS432-N**



*LG = Desired language (FR/EN/DE/ES/IT)

**N = Sign number




CLiC-iT® PRO 60

P.P.E. FOR CONTINUOUS PROTECTION

SUITABLE
FOR:

- ✓ Scaffolding
- ✓ Ladders/Masts
- ✓ Anchor points
- ✓ Cables
- ✓ Straps/Ropes
- ✓ Pylons/Angle beams



DISCOVER ALSO



C-RACK OZON

DISINFECTION CABINET WITH OZONE GAS

Simple, efficient and quick solution to disinfect all types of equipment. Allows the disinfection of all materials, toolings, equipments. Safe for the equipment and the operator. The ozone generator diffuses a gas inside the cabinet at the recommended threshold for a complete and perfect disinfection.

➔ **AUTOMATIC:** Just press a button to start the disinfection process automatically and to safety lock the system

➔ **FAST:** Allows the disinfection of material, tooling and equipment with no drying required

➔ **IMMEDIATE USE:** Ozone is drawn from ambient air and fed back in the cabinet without any other intake



OUR OFFICES



THE WORKSHOP



CONTACT US



SARL DEHONDT
5 rue des Terres (Cellule 7)
51420 CERNAY-LÈS-REIMS
FRANCE



+33 3 26 47 11 34



contact@clic-it.eu

www.clic-it.eu

CLiC-iT AROUND THE WORLD







**CLiC-iT wishes you a fun
and safe season!**



www.clic-it.eu

